
We. SEE oled dc

we. by **LOEWE.**

Smart streaming TV with dual channel



This is television, for all those who are excited, cheer, learn, fight, stream, play and admire. For the perfect balance between high-tech and slow-down. For a new perspective on what really drives you. For you. With the latest technology, the Ultra HD OLED Streaming TV not only impresses with an immense colour spectrum and brilliant high-contrast images, but also with the incredible depth effect - for perfect colours and shapes from every angle. With a total music power of 60 watts, the Ultra HD OLED Streaming TV provides an invisible sound experience. The new We. SEE oled with dual channel technology is made for your individual feel-good programme and is always perfectly in tune with what you need: inspiration, innovation or concentration.



Data sheet
We. SEE oled dual channel
July 2026

www.loewe.tv     

We. SEE oled dc

Smart streaming TV with dual channel

we. by **LOEWE.**



TV

Screen diagonal (cm/inch): 164/65, 139/55, 121/48, 106/42

Screen resolution (pixels): Ultra HD (3840 x 2160)

Table solution

We. SEE 65 oled: W* x H x PD / TD = 146 x 88 x 7 / 27

We. SEE 55 oled: W* x H x PD / TD = 123 x 75 x 7 / 24

We. SEE 48 oled: W* x H x PD / TD = 108 x 66 x 7 / 24

We. SEE 42 oled: W* x H x PD / TD = 94 x 59 x 7 / 24

table stand manually rotatable (+ / - 45°)

● coal black

Model	Article
65 oled dc	64565
55 oled dc	64555
48 oled dc	64548
42 oled dc	64521

● basalt grey

floor2ceiling stand	60802
floor stand flex (2026)	63800

● black

floor stand universal (2026)	63801
wall mount universal	60809
wall mount slim 432	60808
spacer table stand inspire	60812

Streaming apps and dual channel

All key streaming services at the single touch of a button. Netflix, YouTube, Apple tv+, and more. Alexa Skills, Apple AirPlay and Matter support full control and easy content sharing. The dual channel technology with twin triple-tuners allows parallel USB recording and USB timeshift while watching another live TV program.

Ultra High Definition OLED with HDR

Brilliant TV experience with Ultra HD resolution accompanied by a full range of HDR formats including Dolby Vision IQ based on the latest generation of slim OLED panels. Flexible connectivity with HDMI 2.1 inputs including Ultra HD @ 120 Hz VRR ensures full support of latest game consoles.

Invisible sound with Dolby Atmos

Dolby Atmos delivered by 60 watts total music power from the integrated invisible speakers provides a pleasant sound experience for every day and every source, whether watching television program, streaming series or enjoying a movie night.

Data sheet

We. SEE oled dual channel

July 2026



We. SEE oled dc

we. by **LOEWE.**

Smart streaming TV with dual channel

Achievements*



"The We. SEE 55 oled is a true 4K multi-talent that can show off its strengths in any form of use."

lite-magazin.de, 10.11.2024, about We. SEE oled

Test result: Top class, Highlight

Rating: Best Pick



"With the We. SEE 42 model, Loewe proves that modern HDMI 2.1 features, a nimble smart TV system and generous TV reception technology do not have to be mutually exclusive."

digitalfernsehen.de, 15.12.2025, about We. SEE 42 oled dual channel

Test result: SEHR GUT

Rating: Highlight, Gaming-Tipp



"The We. SEE 42 combines modern OLED technology with a snappy operating system. The excellent media player and strong motion handling, in particular, set the Loewe apart from technically comparable televisions."

computerbild.de, 17.12.2025, about We. SEE 42 oled dual channel

Test mark: 1,5



"Small but fine: The Loewe We SEE 42 oled dc offers outstanding picture quality in the 42-inch format. (...) An all-around well-made television in first-class brand quality."

hifitest.de, 19.12.2025, about Loewe We. SEE 42 oled dual channel

Test result: 5***** Stars, Top Class

Ratings: Highlight



"The We. SEE 42 oled dc is generously equipped, and the high-quality OLED display ensures brilliant images with crisp contrasts. The audio department performs amazingly well, especially given the small 42-inch size."

av-magazin.de, 28.12.2025, about Loewe We. SEE 42 oled dual channel

Test result: OUTSTANDING

Ratings: Top Class, Highlight



"Even at just 106 centimetres, the We. SEE 42 oled dc is a true Loewe: impressive picture quality, powerful sound and very quick to operate thanks to the VIDAA user interface."

audiovision magazine, 02/2026, about We. SEE 42 oled dual channel

Test result: VERY GOOD

Rating: Highlight

* partly predecessor model

Smart streaming TV with dual channel

Stand solutions

floor2ceiling stand

We. SEE 65 oled: W* x H x PD / TD = 146 x 220-290 x 7 / 16
 We. SEE 55 oled: W* x H x PD / TD = 123 x 220-290 x 7 / 16
 We. SEE 48 oled: W* x H x PD / TD = 108 x 220-290 x 7 / 16
 We. SEE 42 oled: W* x H x PD / TD = 94 x 220-290 x 7 / 16
 manually rotatable (+ / - 180°), height adjustable (220-290 cm),
 hidden cable routing, wall mount slim 432 required

floor stand flex (2026)


We. SEE 65 oled: W* x H x PD / TD = 146 x 129 x 7 / 54
 We. SEE 55 oled: W* x H x PD / TD = 123 x 116 x 7 / 54
 We. SEE 48 oled: W* x H x PD / TD = 108 x 106 x 7 / 54
 We. SEE 42 oled: W* x H x PD / TD = 94 x 98 x 7 / 54
 manually rotatable (+/- 45°), concealed cable routing,
 with or without carrier for accessory tray or soundbar

floor stand universal (2026)

We. SEE 65 oled: W* x H x PD / TD = 146 x 133 x 7 / 53
 We. SEE 55 oled: W* x H x PD / TD = 123 x 120 x 7 / 53
 We. SEE 48 oled: W* x H x PD / TD = 108 x 110 x 7 / 53
 We. SEE 42 oled: W* x H x PD / TD = 94 x 102 x 7 / 53
 manually rotatable (+/- 45°), concealed cable routing

spacer table stand inspire

We. SEE 55 oled: W* x H x PD / TD = 123 x 81 x 7 / 24
 We. SEE 48 oled: W* x H x PD / TD = 108 x 72 x 7 / 24
 We. SEE 42 oled: W* x H x PD / TD = 94 x 65 x 7 / 24
 table stand manually rotatable (+ / - 45°),
 for placing a klang bar under the display



Wall solutions

wall mount universal

We. SEE 65 oled: W* x H x PD / TD = 146 x 84 x 7 / 11
 We. SEE 55 oled: W* x H x PD / TD = 123 x 71 x 7 / 11
 We. SEE 48 oled: W* x H x PD / TD = 108 x 63 x 7 / 11
 We. SEE 42 oled: W* x H x PD / TD = 94 x 55 x 7 / 11
 tilttable mounting

wall mount slim 432

We. SEE 65 oled: W* x H x PD / TD = 146 x 84 x 7 / 9
 We. SEE 55 oled: W* x H x PD / TD = 123 x 71 x 7 / 9
 We. SEE 48 oled: W* x H x PD / TD = 108 x 63 x 7 / 9
 We. SEE 42 oled: W* x H x PD / TD = 94 x 55 x 7 / 9
 flat mounting and VESA adaption



Dimensions in ca. cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted We. by Loewe signature flag, the width of the TV set may increase by up to 1 cm, depending on the type of set.

We. SEE oled dc

Smart streaming TV with dual channel

we. by LOEWE.

Sound solutions

Loewe klang sub1

Active wireless subwoofer
to complement the TV



Model	Article
klang sub1	60610

We. BOOST

Wireless plug & play
home theater system



We. BOOST	64720
-----------	-------

We. BOOST center

Home theater center speaker
for We. BOOST system



We. BOOST center	64730
------------------	-------

We. SEE oled dc

we. by **LOEWE.**

Smart streaming TV with dual channel

Home Automation & Hotel TV

H*****

Loewe TV sets based on the SL8 chassis family offer flexible connectivity and can be seamlessly integrated into hotel and smart home environments via dedicated interfaces.

The **Loewe Hotel TV Mode** offers a powerful stand-alone option, providing a wide range of hotel features right out of the box without requiring any system integration.

The most popular compact screen sizes of Loewe and We. by Loewe TV models feature a Kensington anti-theft lock for protecting them in a hospitality environment.



The **Loewe Hotel API** was specially developed for use in the hospitality industry. This interface enables the direct integration of the television into hotel system solutions. This turns the TV into the central control unit for the entire hotel room, guaranteeing an individually customizable guest experience and tailored comfort.

 **HOTEZA** **roomio**

The **Loewe Remote API** allows for convenient control of the television in the smart home. Since the interface is already supported by leading home automation providers, integration into individual system solutions is quick and reliable.

basalte **Control4**  **CRESTRON** **ELAN**

All detailed information on implemented functions, protocols and drivers is available via Loewe Service.

Technical data

We. SEE

	65 oled dual channel	55 oled dual channel
Design		
Design Team	Loewe Colab Design	Loewe Colab Design
Development & construction	Loewe Colab R&D Team	Loewe Colab R&D Team
Production & quality check	Loewe Velenje Factory	Loewe Velenje Factory
Colour variant	coal black	coal black
Main materials applied	GFR plastic, glass	GFR plastic, glass
Sustainable / regional resources and methods preferred	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	○ / ○ / ○ / ○ / -	○ / ○ / ○ / ○ / -
Sound solutions: passive, active, stereo, multi channel	○ / ○ / ○ / ○	○ / ○ / ○ / ○
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Reception		
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / DiSEqC / Unicable / dual channel	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 6	2 x 15 / 2 x 30 / 6
Acoustic speaker concept	invisible sound	invisible sound
Front firing / down firing / 2-channel crossover	- / ● / -	- / ● / -
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice
EPG / Number of stations in channel list	● / 10.000	● / 10.000
Multi Recording / USB recording / timeshift	● (via USB) / ● / ●	● (via USB) / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●
TV Channel+ / VOD premium services / AI comfort features	● / ● / ●	● / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●
Connectivity and interfaces		
Antenna IEC / satellite Fi / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (120 Hz)	● / ● / ● (120 Hz)
HDCP 2.3 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	2 x 0,9 A	2 x 0,9 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK	●	●
Audio out control: fix / variable / sub (3,5 mm)	● / ● / ●	● / ● / ●
Home automation / Control4 / Crestron	● (via IP) / ● / ●	● (via IP) / ● / ●
Power socket	C13 (D type)	C13 (D type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,810) / F (0,757)	F (0,893) / G (0,951)
EPREL registration No.: https://eprel.ec.europa.eu	2362955	2362923
Energy consumption SDR / HDR (ca. kWh/1000h)	92 / 86	77 / 82
Power consumption max. @ audio 1/8 volume (watts)	420	300
Power consumption cast mode / home automation (watts)	15	15
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	25,2 / 31,9	17,6 / 22,2
W* x H x D (cm) without setup solution	145,7 x 83,8 x 6,8	123,4 x 71,2 x 6,8
W* x H x D (cm) incl. table stand	145,7 x 87,5 x 26,5	123,4 x 74,6 x 23,7
VESA support / Kensington lock	300 x 200 / -	300 x 200 / -
Scope of delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / ●	table stand / ●
Remote control (incl. batteries)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)
Manual / power cord	● / ●	● / ●
Optional accessories		
Selection of recommended setup solutions and audio systems	floor stand flex (2026) floor stand universal black wall mount slim 432 wall mount universal klang bar5 mr klang bar3 mr klang sub1 We. BOOST	floor stand flex (2026) floor stand universal black wall mount slim 432 wall mount universal spacer table stand inspire klang bar5 mr klang bar3 mr klang sub1 We. BOOST

● = available, ○ = optional, - = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical data

We. SEE

	48oled dual channel	42oled dual channel
Design		
Design Team	Loewe Colab Design	Loewe Colab Design
Development & construction	Loewe Colab R&D Team	Loewe Colab R&D Team
Production & quality check	Loewe Velenje Factory	Loewe Velenje Factory
Colour variant	coal black	coal black
Main materials applied	GFR plastic, glass	GFR plastic, glass
Sustainable / regional resources and methods preferred	● / ●	● / ●
Durable / service friendly / modular / repairable	● / ● / ● / ●	● / ● / ● / ●
Setup solutions: table / floor / wall / ceiling / motorized	○ / ○ / ○ / ○ / -	○ / ○ / ○ / ○ / -
Sound solutions: passive, active, stereo, multi channel	○ / ○ / ○ / ○	○ / ○ / ○ / ○
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	121 / 48 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°
UHD scaling / Auto dimming / AI PQ / Adaptive contrast / 24p	● / ● / ● / ● / ●	● / ● / ● / ● / ●
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	● / ● / ● / ● (incl. IQ PD) / ●	● / ● / ● / ● (incl. IQ PD) / ●
Reception		
DVB-T2 / C / S2 / HD / twin triple-tuner	● / ● / ● / ● / ●	● / ● / ● / ● / ●
DVB radio / DiSEqC / Unicable / dual channel	● / ● / ● / ●	● / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ● (incl. H.266)	● / ● / ● / ● (incl. H.266)
Zattoo / HD+	● / ●	● / ●
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 6	2 x 15 / 2 x 30 / 6
Acoustic speaker concept	invisible sound	invisible sound
Front firing / down firing / 2-channel crossover	- / ● / -	- / ● / -
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto volume / AI AQ / EQ / Dynamic loudness	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os9 / 34 / ●	SL8 / os9 / 34 / ●
my Loewe app / smart apps (all: Android + iOS)	● / VIDAA Smart TV app	● / VIDAA Smart TV app
Voice control: Alexa Skills / other	● / VIDAA Voice	● / VIDAA Voice
EPG / Number of stations in channel list	● / 10.000	● / 10.000
Multi Recording / USB recording / timeshift	● (via USB) / ● / ●	● (via USB) / ● / ●
Mediatext (HbbTV) / Teletext / splitscreen	● / ● / ●	● / ● / ●
Media player / dlna player / browser	● / ● / ●	● / ● / ●
TV Channel+ / VOD premium services / AI comfort features	● / ● / ●	● / ● / ●
Parental lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●
Software update (via USB / Internet) / Hotel mode	● / ● / ●	● / ● / ●
Connectivity and interfaces		
Antenna IEC / satellite Fi / CI+ V1.4 ECP Slot	1 / 2 / 1	1 / 2 / 1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (120 Hz)	● / ● / ● (120 Hz)
HDCP 2.3 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●
USB-A: number x power	2 x 0,9 A	2 x 0,9 A
Bluetooth / Miracast / AirPlay / Matter	● / ● / ● / ●	● / ● / ● / ●
LAN / WLAN (Wi-Fi) / wake on LAN / wake on Wifi	● / ● / ● / ●	● / ● / ● / ●
TOSLINK	●	●
Audio out control: fix / variable / sub (3,5 mm)	● / ● / ●	● / ● / ●
Home automation / Control4 / Crestron	● (via IP) / ● / ●	● (via IP) / ● / ●
Power socket	C13 (D type)	C13 (D type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,965) / G (1,022)	G (0,934) / G (0,950)
EPREL registration No.: https://eprel.ec.europa.eu	2362879	2421495
Energy consumption SDR / HDR (ca. kWh/1000h)	66 / 70	52 / 58
Power consumption max. @ audio 1/8 volume (watts)	250	200
Power consumption cast mode / home automation (watts)	15	15
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5
Mains voltages / power switch / off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	14,7 / 19,2	12,3 / 16,3
W* x H x D (cm) without setup solution	107,7 x 62,8 x 6,6	94,0 x 55,0 x 6,6
W* x H x D (cm) incl. table stand	107,7 x 66,2 x 23,7	94,0 x 58,5 x 23,7
VESA support / Kensington lock	300 x 300 / -	300 x 300 / ●
Scope of delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / ●	table stand / ●
Remote control (incl. batteries)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)
Manual / power cord	● / ●	● / ●
Optional accessories		
Selection of recommended setup solutions and audio systems	floor stand flex (2026) floor stand universal black wall mount slim 432 wall mount universal spacer table stand inspire klang bar3 mr klang sub1 We. BOOST	floor stand flex (2026) floor stand universal black wall mount slim 432 wall mount universal spacer table stand inspire klang bar3 mr klang sub1 We. BOOST

● = available, ○ = optional, - = not available, * according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.